



SOCOMEK Diris A range update summary

To explain how the range will evolve

Diris A range update



- Old Code :
 - > Diris A-10 without com : 48250010 replaced by 48250400
 - > Diris A-10 with com : 48250011 replaced by 48250401
- What is new :
 - > Packaging & color
 - > 4 Quadrant (importe export energies)

Diris A range update



- Old Code :
 - > Diris A-20 : 48250200 replaced by 48250403
 - > Optionnal modules : no changes
- What is new :
 - > Packaging & color. Paper test report is included
 - > 4 Quadrant (importe export energies)

Diris A range update



- Old Code. Now Diris A40 (old) is renamed Diris A-30 :
 - > Diris A-30 : **48250201** replaced by **48250403**
 - > Diris A-30 48VDC : **48251201** replaced by **48250405**
 - > Diris A-41 : **48250202** replaced by **48250404**
 - > Diris A-41 48VDC : **48251202** replaced by **48250406**
 - > Optionnal modules : no changes
- What is new :
 - > Packaging & color. Paper test report is included
 - > Add TDD & Kfactor / No more quality event inside
 - > 4 Quadrant (importe export energies)

The new Diris A-40 in 2 words



- Installation :
 - > Quick and easy with TE TR iTR & TF sensors
 - > Weard config : reliable and easy commissioning
- A full line of innovatives technologies:
 - > Precisense : global class 0,5 (TE iTR & TF) / class 1 (TR)
 - > Virtualmonitor with iTR)
 - > Autocorrect (with iTR)
- An all in one product :
 - > Standard feature : 3In / 2Out + Memory + Timestamp
 - > Diris A-40 RS485 Modbus : [48250500](#)
 - > Diris A-40 RS485 Modbus + Ethernet : [4825050](#).
 - » Webserver included + FTPs export + SNTP (automatic clock) + SMTP (mail sending)
 - » Possible to choose Modbus TCP or Bacnet IP
 - > Diris A-40 RS485 Modbus + Profibus : [48250502](#)
 - » Possible to make 2 tailors made profibus words

thank you **SO** much!